


# PX Swing Door Installation Guide



POLARGY


PRODUCT NAME  
**PX Swing Door  
Installation Guide**

ISSUE  
11.01.15

POLARGY, INC.  
256 Gibraltar Drive, Suite 106  
Sunnyvale, CA 94089

**PX**

# Assembly Sequence



DOOR IS DELIVERED FULLY ASSEMBLED  
PLACE DOOR WITH INSIDE VERTICAL SUPPORTS AT 36" APART  
ALIGN DOOR TO BE SQUARE AND PLUMB EVEN IF RACKS ARE NOT



PRODUCT NAME  
**PX Swing Door  
Installation Guide**




ISSUE  
11.01.15

POLARGY, INC.  
256 Gibraltar Drive, Suite 106  
Sunnyvale, CA 94089


**PX**

# Assembly Sequence


SIDE BRACKET CAN BE PLACED ANYWHERE ALONG SIDE CHANNEL, ATTACH TO RACK NUT/BOLT FOR DOOR SIDE PROVIDED ATTACHMENT HARDWARE FOR RACK AND FLOOR ATTACHMENTS NOT PROVIDED



ATTACH MID BRACKET TO INSIDE OF DOOR



5 SETS OF HARDWARE:  
2 FOR SIDES  
3 FOR FLOOR



ATTACH SIDE BRACKETS TO CHANNEL ON SIDE OF VERTICAL POST BOLT TO FLOOR WITH APPROPRIATE HARDWARE, (NOT PROVIDED)



PRODUCT NAME  
**PX Swing Door  
Installation Guide**

ISSUE  
11.01.15

POLARGY, INC.  
256 Gibraltar Drive, Suite 106  
Sunnyvale, CA 94089

**PX**